

\_

\_

-

-\_ \_

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



**Report Number:** 21-003027/D02.R00 **Report Date:** 03/29/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 03/22/21 14:10

(Reported in milligrams per serving) \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

Customer:	PapaLee's Confec	ctions			
Product identity:	D-8 Honey 15mg l	D-8 (7 gram Pack	ets)		
Client/Metrc ID:					
Laboratory ID:	21-003027-0001		Sample Date	. 03/22/21 14	4:00
		c	Summary		
			unnar y		
Potency:					
Potency: Analyte per 7g	Result I	Limits Units			
	<b>Result I</b> 14.1				<pre></pre>

\_

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





**Report Number:** 21-003027/D02.R00 **Report Date:** 03/29/2021 **ORELAP#:** OR100028 **Purchase Order:** 03/22/21 14:10 **Received:** 

Customer:

PapaLee's Confections

Product identity:	D-8 Honey 15mg D-8 (7 gram Packets)
Client/Metrc ID:	
Sample Date:	03/22/21 14:00
Laboratory ID:	21-003027-0001
Evidence of Cooling:	No
Temp:	17.5 °C
Serving Size #1:	7 g

# Sample Results

Potency per 7g	Method J AOA	AC 2015 V98-6 (n	nod) <b>Units</b> mg/se <b>Ba</b>	atch: 2102687	Analyze: 3/25/21 5:22:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 7g <sup>+</sup>	< LOQ		mg/7g	0.230	
CBC-A per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
CBC-Total per 7g <sup>+</sup>	< LOQ		mg/7g	0.432	
CBD per 7g	< LOQ		mg/7g	0.230	
CBD-A per 7g	< LOQ		mg/7g	0.230	
CBD-Total per 7g	< LOQ		mg/7g	0.432	
CBDV per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
CBDV-A per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
CBDV-Total per 7g <sup>+</sup>	< LOQ		mg/7g	0.429	
CBG per 7g⁺	< LOQ		mg/7g	0.230	
CBG-A per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
CBG-Total per 7g <sup>+</sup>	< LOQ		mg/7g	0.429	
CBL per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
CBN per 7g	< LOQ		mg/7g	0.230	
∆8-THC per 7g†	14.1		mg/7g	0.230	
∆9-THC per 7g	< LOQ		mg/7g	0.230	
THC-A per 7g	< LOQ		mg/7g	0.230	
THC-Total per 7g	< LOQ		mg/7g	0.432	
THCV per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
THCV-A per 7g <sup>†</sup>	< LOQ		mg/7g	0.230	
THCV-Total per 7g <sup>†</sup>	< LOQ		mg/7g	0.432	

Page 2 of 7 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan prior arrangements have been made. Test results meet and the columbia conserved on the samples are received by the laboratory.

Testing in accordance with: OAR 333-007-0430





**Report Number:** 21-003027/D02.R00 **Report Date:** 03/29/2021 **ORELAP#:** OR100028 Purchase Order: 03/22/21 14:10 **Received:** 

These test results are representative of the individual sample selected and submitted by the client.

# Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>†</sup> = Analyte not NELAP accredited.

## Units of Measure

g = Gram mg/7g = Milligram per 7g % = Percentage of sample % wt =  $\mu g/g$  divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made

6	Columbia LABORATORIES
	A Tentamus Company



21-003027/D02.R00 **Report Number: Report Date:** 03/29/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 03/22/21 14:10

			suspect t	hat any part o	d your same dysis Requ		ein hasardo	us materials o	er chernicals.	
Company: <u>P3PA LESS Con Bitting</u> Contact: <u>L25 2/AR254</u> Address: <u>8700 SLJ BARBHIT</u> Ensit <u>ZEE CPARP LESS (3D, COM</u> Phone: <u>(503)</u> <u>998-9243</u> Fax: ()			Bateway					PO Mumber: Project Number: Project Number: Custem Reparting: Report to State: Ture-around time: Standard Rush * Priority Rush *Ack for availability		
Inh Field / Sample ID	Date	/Time		Preservative o	oele: Vinvijficant	lan of type use	d'P	Sampled by: Matrix //	Comments	
D-8 Howey Ising D-9 (Typpon Pockets)	3/22	2:00						E	tagl 7g	
The Warn	Date	Time	0	Received B	R.	Dute	Time		Lab Use Only:	
Quinan	3/22	209	Jun	Hen		3/02/21	1410	Evidence of a Sample in go	Waror /B Client drags off           cooling: D yes   D No - Temp (*Cl:*           ad condition: Q yes   D No           Oheck   D CC   D Net:	

11 Matrix Cade: Drinking water (DW); Gasund or Well Water (SW); Storm Water (SW); Wate Water (WW); Wate (W) ; Solid (S)

Tangles submitted to CL with touting requirements caretilute an agreement for services in accordance with the corrent terms of service associated with this COC. By signing "Relinquished by" you are agreement to these terms.

12423 NE Whitoker Way Portland, OR 97230

P: (503) 254-1794 / Fex: (503) 254-1452 info@columbialaboratories.com

Page 1 of 1s

Page 4 of 7

Page 4 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-003027/D02.R00
Report Date:	03/29/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	03/22/21 14:10

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory (	Quality Co	ontrol Results		
JAOAC2015 V9	JAOAC2015 V98-6 Batch ID: 2102687						
Laboratory Cont	rol Sample						
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
OBDV-A	0.00880	0.01	%	88.0	85.0 - 115	Acceptable	
CBDV	0.00903	0.01	%	90.3	85.0 - 115	Acceptable	
OBD-A	0.00890	0.01	%	89.0	85.0 - 115	Acceptable	
OBG-A	0.00881	0.01	%	88.1	85.0 - 115	Acceptable	
OBG	0.00913	0.01	%	91.3	85.0 - 115	Acceptable	
(CBD	0.00951	0.01	%	95.1	85.0 - 115	Acceptable	
THCV	0.00910	0.01	%	91.0	85.0 - 115	Acceptable	
THCVA	0.00856	0.01	%	85.6	85.0 - 115	Acceptable	
CBN	0.00962	0.01	%	96.2	85.0 - 115	Acceptable	
THC	0.00911	0.01	%	91.1	85.0 - 115	Acceptable	
D8THC	0.00899	0.01	%	89.9	85.0 - 115	Acceptable	
CBL	0.00885	0.01	%	88.5	85.0 - 115	Acceptable	
OBC	0.00916	0.01	%	91.6	85.0 - 115	Acceptable	
THCA	0.00906	0.01	%	90.6	85.0 - 115	Acceptable	
CBCA	0.00862	0.01	%	86.2	85.0 - 115	Acceptable	

### Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
OBDV-A	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
OBD-A	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
OBG-A	<lqq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lqq<>	0.003	%	< 0.003	Acceptable	
0BG	<lqq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lqq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THOV	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<lqq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lqq<>	0.003	%	< 0.003	Acceptable	
THC	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
D8THC	<lqq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lqq<>	0.003	%	< 0.003	Acceptable	
CBL	<lqq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lqq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
OBCA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

### Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

#### Units of Measure:

%- Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	21-003027/D02.R00
Report Date:	03/29/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	03/22/21 14:10

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labor	atory	Quality Co	ntrol Results		
JAOAC2015 V98-6 Batch ID: 2102687								
Sample Duplicate Sample ID: 21-002814-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
OBDV-A	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
OBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
OBD-A	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
OBG-A	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
OBG	0.0130	0.0132	0.003	%	2.20	< 20	Acceptable	
OBD	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.00836	0.00865	0.003	%	3.34	< 20	Acceptable	
THC	0.308	0.314	0.003	%	1.92	< 20	Acceptable	
D8THC	<loq< td=""><td>⊲LOQ</td><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	⊲LOQ	0.003	%	NA	< 20	Acceptable	
OBL	<loq< td=""><td>⊲LOQ</td><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	⊲LOQ	0.003	%	NA	< 20	Acceptable	
OBC	<loq< td=""><td>⊲LOQ</td><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	⊲LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td>⊲LOQ</td><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	⊲LOQ	0.003	%	NA	< 20	Acceptable	
OBCA	<loq< td=""><td>⊲LOQ</td><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	⊲LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

%- Percent

Page 6 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 21-003027/D02.R00 **Report Date:** 03/29/2021 **ORELAP#:** OR100028 **Purchase Order:** 03/22/21 14:10 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430