

Report Number:	23-000730/D013.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/18/23 12:30

**Customer: Brothers Apothecary Product identity:** OT Honey Drop 1.2 Client/Metrc ID: Laboratory ID: 23-000730-0001

\_ \_ \_ \_ \_ \_

## Summary

Analyte	Result	Limits	Units	Status	CBD-Total per Serving Size 3.95 mg/1g
CBD	0.395		%		
CBG	0.284		%		
CBN	0.224		%		THC-Total per Serving Size 0.195 mg/1g
∆9-THC	0.0195		%		(Reported in milligrams per serving)
Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	3.95		mg/1g		
CBG per 1g	2.84		mg/1g		
CBN per 1g	2.24		mg/1g		
∆9-THC per 1g	0.195		mg/1g		

Supplemental Testing Notes:

Total Net Weight of Sample: 3.2g

### **Total Sample Analysis:**

12.64mg CBD/serving 9.088mg CBG/serving 7.168mg CBN/serving 0.624mg THC/serving (0.019%)

www.columbialaboratories.com

Page 1 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Report Number:	23-000730/D013.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/18/23 12:30

Customer:	Brothers Apothecary 3423 SE18th Ave Portland OR, 97202 United States of America (USA)
Product identity:	OT Honey Drop 1.2
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-000730-0001
Evidence of Cooling:	No
Temp:	20.1 °C
Relinquished by:	Client
Serving Size #1:	1 g

# **Sample Results**

Potency	Method: J AOAC 2015	/98-6 (mod) <sup>p</sup>	Units %	Batch: 2300640	Analyze: 1/19/23 10:37:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.395		%	0.00321	
CBD-A	< LOQ		%	0.00321	
CBD-Total	0.395		%	0.00603	
CBG	0.284		%	0.00321	
CBG-A	< LOQ		%	0.00321	
CBG-Total	0.284		%	0.00600	
CBN	0.224		%	0.00321	
Δ10-THC-9R	< LOQ		%	0.00321	
∆8-THC	< LOQ		%	0.00321	
∆9-THC	0.0195		%	0.00321	
THC-A	< LOQ		%	0.00321	
THC-Total	0.0195		%	0.00603	
Total Cannabinoids	0.923		%		

Potency per 1g	Method: J AOAC 2015 \	Units mg/se Ba	atch: 2300640	Analyze: 1/19/23 10:37:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 1g	3.95		mg/1g	0.0321	
CBD-A per 1g	< LOQ		mg/1g	0.0321	
CBD-Total per 1g	3.95		mg/1g	0.0603	
CBG per 1g	2.84		mg/1g	0.0321	
CBG-A per 1g	< LOQ		mg/1g	0.0321	
CBG-Total per 1g	2.84		mg/1g	0.0600	
CBN per 1g	2.24		mg/1g	0.0321	
∆10-THC-9R per 1g	< LOQ		mg/1g	0.0321	
∆8-THC per 1g	< LOQ		mg/1g	0.0321	
∆9-THC per 1g	0.195		mg/1g	0.0321	
THC-A per 1g	< LOQ		mg/1g	0.0321	
THC-Total per 1g	0.195		mg/1g	0.0603	

Page 2 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



These test results are representative of the individual sample selected and submitted by the client.

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g mg/1g = Milligram per 1g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Report Number:	23-000730/D013.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/18/23 12:30

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-	-6		Lui		Quality Co	atch ID:		40		
Laboratory Contro						atten ib.	23000	40		
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0328	0.033	%	98.2	80.0	-	120	Acceptable	
CBDV	2	0.0353	0.035	%	99.9	80.0	-	120	Acceptable	
CBE	2	0.0334	0.035	%	95.5	80.0	-	120	Acceptable	
CBDA	1	0.0329	0.032	%	103	90.0	-	110	Acceptable	
CBGA	1	0.0329	0.032	%	103	80.0	-	120	Acceptable	
CBG	1	0.0340	0.033	%	103	80.0		120	Acceptable	
CBD	1	0.0332	0.032	%	103	90.0	-	110	Acceptable	
THCV	2	0.0345	0.035	%	97.2	80.0	-	120	Acceptable	
18THCV	2	0.0346	0.034	%	100	80.0	-	120	Acceptable	
HCVA	2	0.0325	0.033	%	98.5	80.0	-	120	Acceptable	
CBN	1	0.0343	0.034	%	101	80.0	-	120	Acceptable	
exo-THC	2	0.0321	0.032	%	99.0	80.0	-	120	Acceptable	
19THC	1	0.0345	0.035	%	99.0	90.0	-	110	Acceptable	
18THC	1	0.0315	0.033	%	94.1	90.0	-	110	Acceptable	
CBL	2	0.0332	0.035	%	96.0	80.0	-	120	Acceptable	
110THC	1	0.0157	0.016	%	99.7	80.0	-	120	Acceptable	
CBC	2	0.0337	0.035	%	97.3	80.0	-	120	Acceptable	
HCA	1	0.0339	0.032	%	107	90.0	-	110	Acceptable	
CBCA	2	0.0338	0.034	%	98.4	80.0	-	120	Acceptable	
CBLA	2	0.0344	0.035	%	98.4	80.0	-	120	Acceptable	
CBT	2	0.0331	0.035	%	94.3	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.003		%		0.003		Acceptable	
CBDV		LOQ	0.003		%		0.003		Acceptable	
CBE		LOQ	0.003		%		0.003		Acceptable	
CBDA		LOQ	0.003		%		0.003		Acceptable	
CBGA		LOQ	0.003		%		0.003		Acceptable	
CBG		LOQ	0.003		%		0.003		Acceptable	
CBD		LOQ	0.003		%		0.003		Acceptable	
THCV		LOQ	0.003		%		0.003		Acceptable	
18THCV		LOQ	0.003		%		0.003		Acceptable	
HCVA		LOQ	0.003		%		0.003		Acceptable	
	<	_0Q	0.003		%		0.003		Acceptable	
					%	<	0.003		Acceptable	
exo-THC	<	LOQ	0.003						Acceptable	
exo-THC I9THC	<	LOQ	0.003		%		0.003			
exo-THC I9THC I8THC		LOQ LOQ	0.003		% %	<	0.003		Acceptable	
exo-THC 19THC 18THC CBL	اء م م م		0.003 0.003 0.003		% % %	<	0.003		Acceptable Acceptable	
exo-THC 19THC 18THC CBL 110THC	।   	LOQ LOQ LOQ LOQ	0.003 0.003 0.003 0.003		% % %	< < <	0.003 0.003 0.003		Acceptable Acceptable Acceptable	
exo-THC J9THC J8THC CBL J10THC CBC	र्व द द द द द		0.003 0.003 0.003 0.003 0.003		% % % %	< < <	0.003 0.003 0.003 0.003		Acceptable Acceptable Acceptable Acceptable	
exo-THC d9THC d8THC CBL d10THC CBC CBC FHCA	र ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব	.00 .00 .00 .00 .00 .00 .00	0.003 0.003 0.003 0.003 0.003 0.003		% % % % %	< < < < <	0.003 0.003 0.003 0.003 0.003		Acceptable Acceptable Acceptable Acceptable Acceptable	
exo-THC d9THC d8THC CBL d10THC CBC FHCA CBCA	ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح	.00 .00 .00 .00 .00 .00 .00 .00	0.003 0.003 0.003 0.003 0.003 0.003 0.003		% % % % %	< < < < < < <	0.003 0.003 0.003 0.003 0.003 0.003		Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
CBN exo-THC 39THC 39THC 28THC CBL 310THC CBC CBC CBC CBCA CBLA CBLA CBT	्	.00 .00 .00 .00 .00 .00 .00	0.003 0.003 0.003 0.003 0.003 0.003		% % % % %	<	0.003 0.003 0.003 0.003 0.003		Acceptable Acceptable Acceptable Acceptable Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430

Units of Measure: % - Percent



Report Number:	23-000730/D013.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/18/23 12:30

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Ba	tch ID: 2300640					
Sample Duplicate	Sample ID: 23-000706-0001										
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBG	0.0073	0.0075	0.003	%	2.81	< 20	Acceptable				
CBD	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBN	0.0088	0.0091	0.003	%	2.54	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d9THC	0.254	0.260	0.003	%	2.23	< 20	Acceptable				
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



Report Number:	23-000730/D013.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/18/23 12:30

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 9 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430