

Report Number: 23-001311/D004.R000

Report Date: 02/06/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/31/23 10:06

Customer: Brothers Apothecary **Product identity:** CBD Honey 1.2

Client/Metrc ID:

Laboratory ID: 23-001311-0001

Summary

Potency:

Analyte	Result	Limits	Units	Status	CBD-Total per Serving Size 6.21 mg/1g
CBD	0.621		%		
CBG	0.117		%		
CBN	0.0251		%		THC-Total per Serving Size 0.306 mg/1g
Δ9-THC	0.0306		%		(Reported in milligrams per serving)
Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	6.21		mg/1g		
CBG per 1g	1.17		mg/1g		
CBN per 1g	0.251		mg/1g		
Δ9-THC per 1g	0.306		mg/1g		

Supplemental Testing Notes:

Total Net Weight of Sample: 1g

Total Sample Analysis:

37.26-43.47mg CBD/serving (6-7 grams, ~1 teaspoon)

1.83mg-2.14mg THC/serving



Report Number: 23-001311/D004.R000

Report Date: 02/06/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/31/23 10:06

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: CBD Honey 1.2

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-001311-0001

Evidence of Cooling: No
Temp: 16.4 °C
Relinquished by: Client
Serving Size #1: 1 g

Sample Results

Potency	Method: J AOAC 2015 \	/98-6 (mod) ^þ	Units %	Batch: 2301078	Analyze: 2/2/23 8:46:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.621		%	0.00308	
CBD-A	< LOQ		%	0.00308	
CBD-Total	0.621		%	0.00578	
CBG	0.117		%	0.00308	
CBG-A	< LOQ		%	0.00308	
CBG-Total	0.117		%	0.00575	
CBN	0.0251		%	0.00308	
$\Delta 10$ -THC-9R	< LOQ		%	0.00308	
Δ10-THC-9S	< LOQ		%	0.00308	
$\Delta 10$ -THC-Total	< LOQ		%	0.00616	
Δ8-THC	< LOQ		%	0.00308	
Δ9-THC	0.0306		%	0.00308	
THC-A	< LOQ		%	0.00308	
THC-Total	0.0306		%	0.00578	
Total Cannabinoids	0.794		%		

Potency per 1g	Method: J AOAC 2015 V98-6 (mod) ^p		Units mg/se Ba	atch: 2301078	Analyze: 2/2/23 8:46:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 1g	6.21		mg/1g	0.0308	
CBD-A per 1g	< LOQ		mg/1g	0.0308	
CBD-Total per 1g	6.21		mg/1g	0.0578	
CBG per 1g	1.17		mg/1g	0.0308	
CBG-A per 1g	< LOQ		mg/1g	0.0308	
CBG-Total per 1g	1.17		mg/1g	0.0575	
CBN per 1g	0.251		mg/1g	0.0308	
Δ 10-THC-9R per 1g	< LOQ		mg/1g	0.0308	
Δ 10-THC-9S per 1g	< LOQ		mg/1g	0.0308	
$\Delta 10$ -THC-Total per 1g	< LOQ		mg/1g	0.0616	
∆8-THC per 1g	< LOQ		mg/1g	0.0308	
Δ9-THC per 1g	0.306		mg/1g	0.0308	

www.columbialaboratories.com



Report Number: 23-001311/D004.R000

Report Date: 02/06/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/31/23 10:06

Potency per 1g	Method: J AOAC 2015 V98-6 (n	nod) ^p Units mg	/se Batch: 2301078	Analyze: 2/2/23 8:46:00 PM
Analyte	Result Li	mits Units	LOQ	Notes
THC-A per 1g	< LOQ	mg/1	0.0308	
THC-Total per 1g	0.306	mg/1g	0.0578	



Report Number: 23-001311/D004.R000

Report Date: 02/06/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/31/23 10:06

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/1g = Milligram per 1g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager



Report Number: 23-001311/D004.R000

Report Date: 02/06/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/31/23 10:06

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2301078 Result Spike Units Limits Evaluation Analyte LCS CBDVA CBDV 0.033 Acceptable Acceptable 0.0298 % 89.3 80.0 120 0.0321 96.2 80.0 0.0311 93.3 80.0 120 CBDA 0.0372 0.037 101 90.0 % % Acceptable CBGA CBG 0.037 Acceptable 120 Acceptable 110 Acceptable 120 Acceptable 102 98.5 80.0 90.0 0.0389 CBD 0.038 % 0.0372 0.0307 92.0 80.0 Acceptable Acceptable 0.033 THCVA 0.033 0.0284 85.1 80.0 120 0.039 CBN 0.0393 % Acceptable 120 Acceptable 110 Acceptable 0.0293 87.9 80.0 Acceptable 110 Acceptable 120 Acceptable 120 Acceptable 120 Acceptable 0.0392 99.1 0.040 0.0364 91.2 90.0 9S-d10TH0 0.020 0.0189 80.0 0.033 % 120 Acceptable 0.0316 94.8 80.0 9R-d10TH 0.018 % Acceptable 0.0174 80.0 120 Acceptable 0.0294 88.3 80.0 120 % 85.0 105 120 110 9R-HHC 0.0283 0.033 Acceptable Acceptable 0.0379 90.0 91.1 91.8 CBCA 0.0304 0.033 80.0 120 Acceptable 120 Acceptable 120 Acceptable CBLA d8THCO 0.033 0.0306 80.0 0.0331 0.0286 99.3 85.9 CBT 80.0 0.033 Acceptable 0.0328 80.0

Result	LOQ	Units	Limits	Evaluation	Notes
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
	 	<10Q	<10Q	<loq< td=""> 0.003 % < 0.003</loq<>	<loq< td=""> 0.003 % < 0.003</loq<>

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent



23-001311/D004.R000 **Report Number:**

Report Date: 02/06/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/31/23 10:06

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

Sample Duplicate			Sample ID: 23-001026-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	0.0388	0.0389	0.003	%	0.437	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.0133	0.0134	0.003	%	1.38	< 20	Acceptable	
CBD	2.93	2.94	0.003	%	0.244	< 20	Acceptable	
THCV	0.0056	0.0054	0.003	%	2.65	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.0121	0.0122	0.003	%	0.783	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.210	0.213	0.003	%	1.14	< 20	Acceptable	
d8THC	0.0341	0.0327	0.003	%	4.30	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9S-HHC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	0.0042	0.0042	0.003	%	0.994	< 20	Acceptable	
9R-HHC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	0.0215	0.0219	0.003	%	1.65	< 20	Acceptable	
d9THCO	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent



23-001311/D004.R000 **Report Number:**

Report Date: 02/06/2023 ORELAP#: OR100028

Purchase Order:

01/31/23 10:06 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.