

Report Number: 23-002574/D007.R000

Report Date: 03/09/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 03/02/23 16:29

Customer: Brothers Apothecary

Product identity: CBD Tea 1.2
Project Number: COL-BR-11

Client/Metrc ID:

Laboratory ID: 23-002574-0006

Summary

Potency:

Analyte per 4.5g	Result	Limits	Units	Status	CBD-Total per Serving Size 63.4 mg/4.5g
CBD per 4.5g	41.6		mg/4.5g		-
CBD-A per 4.5g	24.8		mg/4.5g		
CBG per 4.5g	0.851		mg/4.5g		THC-Total per Serving Size 2.94 mg/4.5g
CBG-A per 4.5g	0.416		mg/4.5g		(Reported in milligrams per serving)
Δ9-THC per 4.5g	2.64		mg/4.5g		(neported in milligrams per serving)
THC-A per 4.5g	0.347		mg/4.5g		

Supplemental Testing Notes:

Total Net Weight of Sample: 4.5g

Total Sample Analysis: 63.4mg CBD/tea bag 2.94mg THC/tea bag (0.06%)



Report Number: 23-002574/D007.R000

Report Date: 03/09/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 03/02/23 16:29

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: CBD Tea 1.2
Project Number: COL-BR-11

Client/Metrc ID: .

Sample Date:

Laboratory ID: 23-002574-0006

Evidence of Cooling: No
Temp: 20.0
Relinquished by: client
Serving Size #1: 4.5 g

Sample Results

Potency per 4.5g	Method: J AOAC 2015 V98-6 (mod) ^p		Units mg/se Bat	tch: 2302031	Analyze: 3/6/23 9:44:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes	
CBD per 4.5g	41.6		mg/4.5g	0.140		
CBD-A per 4.5g	24.8		mg/4.5g	0.140		
CBD-Total per 4.5g	63.4		mg/4.5g	0.263		
CBG per 4.5g	0.851		mg/4.5g	0.140		
CBG-A per 4.5g	0.416		mg/4.5g	0.140		
CBG-Total per 4.5g	1.21		mg/4.5g	0.261		
CBN per 4.5g	< LOQ		mg/4.5g	0.0311		
∆10-THC-9R per 4.5g	< LOQ		mg/4.5g	0.0311		
∆10-THC-9S per 4.5g	< LOQ		mg/4.5g	0.0311		
∆10-THC-Total per 4.5g	< LOQ		mg/4.5g	0.0622		
∆8-THC per 4.5g	< LOQ		mg/4.5g	0.0311		
∆9-THC per 4.5g	2.64		mg/4.5g	0.140		
THC-A per 4.5g	0.347		mg/4.5g	0.140		
THC-Total per 4.5g	2.94		mg/4.5g	0.263		



Report Number: 23-002574/D007.R000

Report Date: 03/09/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 03/02/23 16:29

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/4.5g = Milligram per 4.5g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager



Report Number: 23-002574/D007.R000

Report Date: 03/09/2023 ORELAP#: OR100028

Purchase Order:

Received: 03/02/23 16:29

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2302031 Result Spike Units Limits Evaluation Analyte LCS CBDVA CBDV 0.033 Acceptable Acceptable 0.0343 104 80.0 120 0.0370 104 80.0 0.0352 80.0 120 CBDA 0.0352 0.036 90.0 % % Acceptable CBGA CBG 0.036 Acceptable 120 Acceptable 110 Acceptable 120 Acceptable 0.0368 0.0359 97.6 97.0 80.0 90.0 % CBD 0.037 0.0351 106 80.0 Acceptable Acceptable 0.036 THCVA 0.033 0.0341 104 80.0 120 0.038 120 Acceptable 120 Acceptable 120 Acceptable 110 Acceptable CBN 0.0371 % 97.8 0.0343 102 80.0 0.0374 103 Acceptable Acceptable 0.037 0.0368 98.7 90.0 110 9S-d10TH0 0.037 0.0375 100 105 80.0 0.033 % Acceptable 9R-d10THC 120 Acceptable 0.0350 96.0 80.0 0.036 % Acceptable 0.0373 104 80.0 110 Acceptable 0.0350 96.8 90.0 % CBCA 0.035 Acceptable 0.0356 80.0 0.036 120 Acceptable

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
9S-d10THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
9R-d10THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent



23-002574/D007.R000 **Report Number:**

Report Date: 03/09/2023 ORELAP#: OR100028

Purchase Order:

Received: 03/02/23 16:29

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AUAC 2015 V98-6								
Sample Duplicate Sample ID: 23-002558-0001						-0001		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.0136	0.0133	0.003	%	1.81	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.0033	0.0033	0.003	%	2.25	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.254	0.250	0.003	%	1.74	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	0.0160	0.0157	0.003	%	1.77	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent



23-002574/D007.R000 **Report Number:**

Report Date: 03/09/2023 ORELAP#: OR100028

Purchase Order:

03/02/23 16:29 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.