

Report Number:	23-002574/D006.R000				
Report Date:	03/09/2023				
ORELAP#:	OR100028				
Purchase Order:					
Received:	03/02/23 16:29				

Customer:	Brothers Apothecary
Product identity:	Dragons Lair 1.1
Project Number:	COL-BR-11
Client/Metrc ID:	
Laboratory ID:	23-002574-0010

Summary

ult l	Limits	Units Status	CBD-Total per Serving Size 583 mg/30ml	
		mg/30ml		
		mg/30ml		
		mg/30ml		THC-Total per Serving Size 5.60 mg/30ml
				(Reported in milligrams per serving)
į			mg/30ml mg/30ml	mg/30ml mg/30ml

Page 1 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



Report Number:	23-002574/D006.R000
Report Date:	03/09/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/23 16:29

Customer:	Brothers Apothecary 3423 SE18th Ave Portland OR, 97202 United States of America (USA)
Product identity:	Dragons Lair 1.1
Project Number:	COL-BR-11
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-002574-0010
Evidence of Cooling:	No
Temp:	20.0
Relinquished by:	client
Serving Size #1:	30 g
Density:	1.000 g/ml

Sample Results

Potency per 30ml	Method: J AOAC 2015	√98-6 (mod)⊧	Units mg/se Bat	ch: 2302071	Analyze: 3/8/23 6:20:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 30ml	582		mg/30ml	9.63	
CBD-A per 30ml	< LOQ		mg/30ml	0.963	
CBD-Total per 30ml	583		mg/30ml	10.5	
CBG per 30ml	3.06		mg/30ml	0.963	
CBG-A per 30ml	< LOQ		mg/30ml	0.0321	
CBG-Total per 30ml	3.06		mg/30ml	1.80	
CBN per 30ml	< LOQ		mg/30ml	0.0321	
∆10-THC-9R per 30ml	< LOQ		mg/30ml	0.0321	
∆10-THC-9S per 30ml	< LOQ		mg/30ml	0.0321	
∆10-THC-Total per 30ml	< LOQ		mg/30ml	0.0642	
∆8-THC per 30ml	< LOQ		mg/30ml	0.0321	
∆9-THC per 30ml	4.95		mg/30ml	0.963	
THC-A per 30ml	< LOQ		mg/30ml	0.963	
THC-Total per 30ml	5.60		mg/30ml	1.81	

Page 2 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



 Report Number:
 23-002574/D006.R000

 Report Date:
 03/09/2023

 ORELAP#:
 OR100028

 Purchase Order:
 3/02/23 16:29

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/30ml = Milligram per 30ml % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



23-002574/D006.R000
03/09/2023
OR100028
03/02/23 16:29

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	ouratory	Quality Co			_		
J AOAC 2015 V98-6					В	atch ID:	23020	071		
Laboratory Contro										
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0341	0.033	%	103	80.0	-	120	Acceptable	
CBDV	2	0.0367	0.035	%	104	80.0	-	120	Acceptable	
CBE	2	0.0355	0.034	%	104	80.0	-	120	Acceptable	
CBDA	1	0.0357	0.036	%	98.4	90.0	-	110	Acceptable	
CBGA	1	0.0352	0.036	%	98.3	80.0	-	120	Acceptable	
CBG	1	0.0376	0.038	%	99.8	80.0	-	120	Acceptable	
CBD	1	0.0362	0.037	%	97.7	90.0	-	110	Acceptable	
THCV	2	0.0339	0.033	%	102	80.0	-	120	Acceptable	
d8THCV	2	0.0371	0.036	%	103	80.0	-	120	Acceptable	
THCVA	2	0.0337	0.033	%	103	80.0	-	120	Acceptable	
CBN	1	0.0375	0.038	%	98.7	80.0	-	120	Acceptable	
exo-THC	2	0.0341	0.034	%	102	80.0	-	120	Acceptable	
d9THC	1	0.0354	0.036	%	97.7	90.0	-	110	Acceptable	
d8THC	1	0.0371	0.037	%	99.6	90.0	-	110	Acceptable	
9S-d10THC	1	0.0367	0.037	%	98.2	80.0	-	120	Acceptable	
CBL	2	0.0347	0.033	%	104	80.0	-	120	Acceptable	
9R-d10THC	1	0.0357	0.036	%	98.1	80.0	-	120	Acceptable	
CBC	2	0.0365	0.036	%	102	80.0	-	120	Acceptable	
THCA	1	0.0352	0.036	%	97.1	90.0	-	110	Acceptable	
CBCA	2	0.0361	0.035	%	103	80.0	-	120	Acceptable	
CBLA	2	0.0359	0.035	%	103	80.0	-	120	Acceptable	
CBT	2	0.0362	0.036	%	102	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.003		%		0.003		Acceptable	
CBDV		LOQ	0.003		%		0.003		Acceptable	
CBE		LOQ	0.003		%		0.003		Acceptable	
CBDA		LOQ	0.003		%		< 0.003		Acceptable	
CBGA		LOQ	0.003		%		< 0.003		Acceptable	
CBG		LOQ	0.003		%	< 0.003		Acceptable		
CBD		LOQ	0.003		%		0.003		Acceptable	
THCV		LOQ	0.003		%		0.003		Acceptable	
d8THCV		LOQ	0.003		%	< 0.003			Acceptable	
THCVA		LOQ	0.003		%	< 0.003			Acceptable	
CBN		LOQ	0.003		%		0.003		Acceptable	
exo-THC		LOQ	0.003		%		0.003		Acceptable	
d9THC		LOQ	0.003		%		0.003		Acceptable	
d8THC		LOQ	0.003		%		0.003		Acceptable	
9S-d10THC		LOQ	0.003		%		0.003		Acceptable	
CBL		LOQ	0.003		%		0.003		Acceptable	
9R-d10THC		LOQ	0.003		%		0.003		Acceptable	
CBC		LOQ	0.003		%		0.003		Acceptable	
THCA		LOQ	0.003		%		0.003		Acceptable	
	<	LOQ	0.003		%		0.003		Acceptable	
CBCA					%					
CBCA CBLA CBT	<	LOQ LOQ	0.003			<	0.003		Acceptable Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-002574/D006.R000				
Report Date:	03/09/2023				
ORELAP#:	OR100028				
Purchase Order:					
Received:	03/02/23 16:29				

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results		
J AOAC 2015 V98-6					Ba	tch ID: 2302071		
Sample Duplicate	Sample ID: 23-002574-0004							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBD	0.271	0.246	0.003	%	10.0	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



Report Number: 23-002574/D006.R000 **Report Date:** 03/09/2023 ORELAP#: OR100028 **Purchase Order: Received:** 03/02/23 16:29

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430