

Report Number:	23-004525/D006.R00			
Report Date:	04/19/2023			
ORELAP#:	OR100028			
Purchase Order:				
Received:	04/13/23 16:30			

Customer:	Brothers Apothecary			
Product identity:	CBD Tea 1.2 (M)			
Client/Metrc ID:				
Laboratory ID:	23-004525-0002			

Summary

Potency:				
Analyte per 1g	Result Limi	its Units	Status	CBD-Total per Serving Size 12.4 mg/1g
CBD per 1g	8.44	mg/1g		
CBD-A per 1g	4.53	mg/1g		
CBG per 1g	0.142	mg/1g		THC-Total per Serving Size 0.468 mg/1g
∆9-THC per 1g	0.468	mg/1g		(Reported in milligrams per serving)

Supplemental Testing Notes: Total Net Weight of Sample: 4.90g

Total Sample Analysis: 60.76mg CBD/tea bag 2.29mg THC/tea bag (0.04%)

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	23-004525/D006.R000			
Report Date:	04/19/2023			
ORELAP#:	OR100028			
Purchase Order:				
Received:	04/13/23 16:30			

Customer:	Brothers Apothecary 3423 SE18th Ave Portland OR, 97202 United States of America (USA)
Product identity:	CBD Tea 1.2 (M)
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-004525-0002
Evidence of Cooling:	No
Temp:	22.6
Relinquished by:	client
Serving Size #1:	1 g

Sample Results

		Batch: 2306461	Analyze: 4/17/23 11:26:00 PM	
ult Limits	s Units	LOQ	Notes	
	mg/1g	0.0312		
	mg/1g	0.0312		
	mg/1g	0.0586		
	mg/1g	0.0312		
ב	mg/1g	0.0312		
	mg/1g	0.0583		
ב	mg/1g	0.0312		
ב	mg/1g	0.0312		
ב	mg/1g	0.0312		
ב	mg/1g	0.0625		
ב	mg/1g	0.0312		
	mg/1g	0.0312		
2	mg/1g	0.0312		
	mg/1g	0.0586		
C	8 1Q 8	NQ mg/1g	Q mg/1g 0.0312	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



 Report Number:
 23-004525/D006.R000

 Report Date:
 04/19/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 04/13/23
 16:30

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/1g = Milligram per 1g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Report Number:	23-004525/D006.R000			
Report Date:	04/19/2023			
ORELAP#:	OR100028			
Purchase Order:				
Received:	04/13/23 16:30			

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lai	ouratory	Quality Co					
AOAC 2015 V98-6					В	atch ID:	23064	61		
Laboratory Control										
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0315	0.030	%	103	80.0	-	120	Acceptable	
CBDV	2	0.0300	0.030	%	102	80.0	-	120	Acceptable	
CBE	2	0.0347	0.034	%	102	80.0	-	120	Acceptable	
CBDA	1	0.0308	0.031	%	99.6	90.0	-	110	Acceptable	
CBGA	1	0.0261	0.026	%	101	80.0	-	120	Acceptable	
CBG	1	0.0316	0.031	%	102	80.0	-	120	Acceptable	
CBD	1	0.0277	0.027	%	101	90.0	-	110	Acceptable	
THCV	2	0.0234	0.023	%	103	80.0	-	120	Acceptable	
d8THCV	2	0.0273	0.027	%	103	80.0	-	120	Acceptable	
THCVA	2	0.0321	0.031	%	103	80.0	-	120	Acceptable	
CBN	1	0.0277	0.027	%	103	80.0	-	120	Acceptable	
exo-THC	2	0.0315	0.031	%	103	80.0	-	120	Acceptable	
d9THC	1	0.0329	0.031	%	106	90.0	-	110	Acceptable	
d8THC	1	0.0324	0.031	%	104	90.0	-	110	Acceptable	
9S-d10THC	1	0.0327	0.031	%	104	80.0	-	120	Acceptable	
CBL	2	0.0331	0.032	%	103	80.0	-	120	Acceptable	
9R-d10THC	1	0.0307	0.032	%	96.0	80.0	-	120	Acceptable	
CBC	2	0.0310	0.030	%	103	80.0	-	120	Acceptable	
ГНСА	1	0.0370	0.036	%	103	90.0	-	110	Acceptable	
CBCA	2	0.0333	0.032	%	103	80.0	-	120	Acceptable	
CBLA	2	0.0328	0.032	%	102	80.0	-	120	Acceptable	
CBT	2	0.0336	0.033	%	102	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.003		%		< 0.003		Acceptable	
CBDV		LOQ	0.003		%	< 0.003			Acceptable	
CBE		LOQ	0.003		%		0.003		Acceptable	
CBDA		LOQ	0.003		%		< 0.003		Acceptable	
CBGA		LOQ	0.003		%		< 0.003		Acceptable	
CBG		LOQ	0.003		%		< 0.003		Acceptable	
CBD		LOQ	0.003		%		< 0.003		Acceptable	
THCV		LOQ	0.003		%		< 0.003		Acceptable	
d8THCV		LOQ	0.003		%		< 0.003		Acceptable	
THCVA		LOQ	0.003		%		< 0.003		Acceptable	
CBN		LOQ	0.003		%		0.003		Acceptable	
exo-THC		LOQ	0.003		%		0.003		Acceptable	
d9THC		LOQ	0.003		%		0.003		Acceptable	
d8THC		LOQ	0.003		%		0.003		Acceptable	
9S-d10THC		LOQ	0.003		%		0.003		Acceptable	
CBL		LOQ	0.003		%		0.003		Acceptable	
9R-d10THC		LOQ	0.003		%		0.003		Acceptable	
CBC		LOQ	0.003		%		0.003		Acceptable	
THCA		LOQ	0.003		%		0.003		Acceptable	
		LOQ	0.003		%		0.003		Acceptable	
CBCA										
CBCA CBLA CBT	<	LOQ	0.003		%	<	0.003		Acceptable Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	23-004525/D006.R000			
Report Date:	04/19/2023			
ORELAP#:	OR100028			
Purchase Order:				
Received:	04/13/23 16:30			

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results			
J AOAC 2015 V98-6					Ba	tch ID: 2306461			
Sample Duplicate					ple ID: 23-004478	23-004478-0001			
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBG	0.0169	0.0169	0.003	%	0.284	< 20	Acceptable		
CBD	0.597	0.598	0.003	%	0.155	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBC	0.0052	0.0052	0.003	%	0.304	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



23-004525/D006.R000 **Report Number: Report Date:** 04/19/2023 **ORELAP#:** OR100028 **Purchase Order: Received:** 04/13/23 16:30

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430