



23-008002/D010.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Customer: Brothers Apothecary

Product identity: CBD Tea 1.1 **Project Number:** COL-BR-13

Client/Metrc ID:

Laboratory ID: 23-008002-0001

Summary

Potency:

Analyte CBD	Result	Limits	Units %	Status	CBD-Total per Serving Size 63.2 mg/6.09g
CBD-A	0.827		%		
CBG	0.0151		%		THC-Total per Serving Size 2.42 mg/6.09g
CBG-A	0.00508		%		(Reported in milligrams per serving)
Δ9-THC	0.0397		%		(Reported in milligrams per serving)
Analyte per 6.09g	Result	Limits	Units	Status	
CBD per 6.09g	50.4		mg/6.09g		
CBD-A per 6.09g	14.7		mg/6.09g		
CBG per 6.09g	0.920		mg/6.09g		
CBG-A per 6.09g	0.309		mg/6.09g		
Δ9-THC per 6.09g	2.42		mg/6.09g		





Report Number: 23-008002/D010.R000

Report Date: 07/14/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 07/07/23 12:29

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: CBD Tea 1.1
Project Number: COL-BR-13

Client/Metrc ID: .

Sample Date:

Laboratory ID: 23-008002-0001

Evidence of Cooling: No
Temp: 22.8
Relinquished by: client
Serving Size #1: 6.09 g

Sample Results

Potency	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units %	Batch: 2308934	Analyze: 7/10/23 8:53:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.827		%	0.00319	
CBD-A	0.241		%	0.00319	
CBD-Total	1.04		%	0.00599	
CBG	0.0151		%	0.00319	
CBG-A	0.00508		%	0.00319	
CBG-Total	0.0196		%	0.00596	
CBN	< LOQ		%	0.00319	
$\Delta 10$ -THC-9R	< LOQ		%	0.00319	
$\Delta 10$ -THC-9S	< LOQ		%	0.00319	
$\Delta 10$ -THC-Total	< LOQ		%	0.00638	
∆8-THC	< LOQ		%	0.00319	
Δ9-THC	0.0397		%	0.00319	
THC-A	< LOQ		%	0.00319	
THC-Total	0.0397		%	0.00599	
Total Cannabinoids	1.13		%		

Potency per 6.09g	Method: J AOAC 2015 V	/98-6 (mod) ^þ	Units mg/se Bate	ch: 2308934	Analyze: 7/10/23 8:53:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 6.09g	50.4		mg/6.09g	0.194	
CBD-A per 6.09g	14.7		mg/6.09g	0.194	
CBD-Total per 6.09g	63.2		mg/6.09g	0.365	
CBG per 6.09g	0.920		mg/6.09g	0.194	
CBG-A per 6.09g	0.309		mg/6.09g	0.194	
CBG-Total per 6.09g	1.19		mg/6.09g	0.363	
CBN per 6.09g	< LOQ		mg/6.09g	0.194	
$\Delta 10$ -THC-9R per 6.09g	< LOQ		mg/6.09g	0.194	
$\Delta 10$ -THC-9S per 6.09g	< LOQ		mg/6.09g	0.194	
$\Delta 10$ -THC-Total per 6.09g	< LOQ		mg/6.09g	0.389	
$\Delta 8$ -THC per 6.09g	< LOQ		mg/6.09g	0.194	

www.columbialaboratories.com

Page 2 of 8



Report Date: 07/14/2023 ORELAP#: OR100028

23-008002/D010.R000

Purchase Order:

Report Number:

Received: 07/07/23 12:29

2000
E100/E400

Potency per 6.09g	Method: J AOAC 2015 V	Units mg/se Bate	ch: 2308934	Analyze: 7/10/23 8:53:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
Δ9-THC per 6.09g	2.42		mg/6.09g	0.194	
THC-A per 6.09g	< LOQ		mg/6.09g	0.194	
THC-Total per 6.09g	2.42		mg/6.09g	0.365	





Report Number: 23-008002/D010.R000

Report Date: 07/14/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 07/07/23 12:29

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/6.09g = Milligram per 6.09g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





23-008002/D010.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-	6				Ba	atch ID: 2308934		
Laboratory Contro	ol Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0319	0.0316	%	101	80.0 - 12	0 Acceptable	
CBDV	2	0.0323	0.0315	%	102	80.0 - 12	 Acceptable 	
CBE	2	0.0332	0.0348	%	95.4	80.0 - 12		
CBDA	1	0.0318	0.0325	%	98.0	90.0 - 11		
CBGA	1	0.0319	0.0326	%	97.9	80.0 - 12	0 Acceptable	
CBG	1	0.0322	0.0332	%	97.0	80.0 - 12	 Acceptable 	
CBD	1	0.0328	0.0337	%	97.1	90.0 - 11		
THCV	2	0.0243	0.0236	%	103	80.0 - 12	0 Acceptable	
d8THCV	2	0.0283	0.0279	%	102	80.0 - 12	 Acceptable 	
THCVA	2	0.0315	0.0308	%	102	80.0 - 12	 Acceptable 	
CBN	1	0.0325	0.0340	%	95.6	80.0 - 12		
exo-THC	2	0.0286	0.0283	%	101	80.0 - 12	0 Acceptable	
d9THC	1	0.0317	0.0329	%	96.4	90.0 - 11	 Acceptable 	
d8THC	1	0.0311	0.0320	%	97.3	90.0 - 11		
9S-d10THC	1	0.0333	0.0343	%	97.2	80.0 - 12		
CBL	2	0.0325	0.0311	%	104	80.0 - 12	0 Acceptable	
9R-d10THC	1	0.0301	0.0313	%	96.2	80.0 - 12		
CBC	2	0.0294	0.0293	%	100	80.0 - 12		
THCA	1	0.0314	0.0322	%	97.4	90.0 - 11		
CBCA	2	0.0327	0.0320	%	103	80.0 - 12	0 Acceptable	
CBLA	2	0.0310	0.0302	%	103	80.0 - 12		
d9THCP	2	0.0330	0.0326	%	101	80.0 - 12		
CBT	2	0.0321	0.0326	%	98.3	80.0 - 12	0 Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBDV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBE	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBDA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBGA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBG	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBD	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
THCV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d8THCV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
THCVA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBN	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
exo-THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d9THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d8THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
9S-d10THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBL	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
9R-d10THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
THCA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBCA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBLA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d9THCP	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBT	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-008002/D010.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2308934									
Sample Duplicate				Sample ID: 23-007976-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBG	0.0201	0.0196	0.00308	%	2.41	< 20	Acceptable			
CBD	0.691	0.681	0.00308	%	1.46	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBN	0.126	0.125	0.00308	%	1.39	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
d9THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBC	0.00582	0.00580	0.00308	%	0.290	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
d9THCP	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			
CBT	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable			

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-008002/D010.R000

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29







23-008002/D010.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

07/07/23 12:29 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.