



23-008002/D009.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Customer: Brothers Apothecary Product identity: CBD Tea 1.4 (SM)

Project Number: COL-BR-13

Client/Metrc ID:

Laboratory ID: 23-008002-0004

Summary

Potency	,.
FULCITO	٧.

Analyte	Result	Limits	Units	Status	CBD-Total per Serving Size 28.2 mg/2.55g
CBD	0.658		%		
CBD-A	0.512		%		4.00 /0.55
CBG	0.0103		%		THC-Total per Serving Size 1.09 mg/2.55g
CBG-A	0.00881		%		(Reported in milligrams per serving)
Δ9-THC	0.0375		%		(Keported in milligrams per serving)
THC-A	0.00580		%		
Analyte per 2.55g	Result	Limits	Units	Status	
CBD per 2.55g	16.8		mg/2.55g		
CBD-A per 2.55g	13.1		mg/2.55g		
CBG per 2.55g	0.263		mg/2.55g		
CBG-A per 2.55g	0.225		mg/2.55g		
$\Delta 9$ -THC per 2.55g	0.956		mg/2.55g		
THC-A per 2.55g	0.148		mg/2.55g		





Report Number: 23-008002/D009.R000

Report Date: 07/14/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 07/07/23 12:29

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: CBD Tea 1.4 (SM)

Project Number: COL-BR-13

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-008002-0004

Evidence of Cooling: No
Temp: 22.8
Relinquished by: client
Serving Size #1: 2.55 g

Sample Results

Potency	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units %	Batch: 2308934	Analyze: 7/10/23 9:17:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.658		%	0.00329	
CBD-A	0.512		%	0.00329	
CBD-Total	1.11		%	0.00618	
CBG	0.0103		%	0.00329	
CBG-A	0.00881		%	0.00329	
CBG-Total	0.0180		%	0.00614	
CBN	< LOQ		%	0.00329	
$\Delta 10$ -THC-9R	< LOQ		%	0.00329	
$\Delta 10$ -THC-9S	< LOQ		%	0.00329	
$\Delta 10$ -THC-Total	< LOQ		%	0.00658	
∆8-THC	< LOQ		%	0.00329	
Δ9-THC	0.0375		%	0.00329	
THC-A	0.00580		%	0.00329	
THC-Total	0.0426		%	0.00618	
Total Cannabinoids	1.23		%		

Potency per 2.55g	Method: J AOAC 2015 V	/98-6 (mod) ^þ	Units mg/se Bate	ch: 2308934	Analyze: 7/10/23 9:17:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 2.55g	16.8		mg/2.55g	0.0839	
CBD-A per 2.55g	13.1		mg/2.55g	0.0839	
CBD-Total per 2.55g	28.2		mg/2.55g	0.158	
CBG per 2.55g	0.263		mg/2.55g	0.0839	
CBG-A per 2.55g	0.225		mg/2.55g	0.0839	
CBG-Total per 2.55g	0.457		mg/2.55g	0.157	
CBN per 2.55g	< LOQ		mg/2.55g	0.0839	
Δ 10-THC-9R per 2.55g	< LOQ		mg/2.55g	0.0839	
$\Delta 10$ -THC-9S per 2.55g	< LOQ		mg/2.55g	0.0839	
$\Delta 10$ -THC-Total per 2.55g	< LOQ		mg/2.55g	0.168	
$\Delta 8$ -THC per 2.55g	< LOQ		mg/2.55g	0.0839	

www.columbialaboratories.com



23-008002/D009.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Potency per 2.55g	Method: J AOAC 2015 V98	Units mg/se Bato	h: 2308934	Analyze: 7/10/23 9:17:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
$\Delta 9$ -THC per 2.55g	0.956		mg/2.55g	0.0839	
THC-A per 2.55g	0.148		mg/2.55g	0.0839	
THC-Total per 2.55g	1.09		mg/2.55g	0.158	





Report Number: 23-008002/D009.R000

Report Date: 07/14/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 07/07/23 12:29

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/2.55g = Milligram per 2.55g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-008002/D009.R000

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-					B	atch ID: 2308934		
Laboratory Contro	l Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0319	0.0316	%	101	80.0 - 120	Acceptable	
CBDV	2	0.0323	0.0315	%	102	80.0 - 120	Acceptable	
CBE	2	0.0332	0.0348	%	95.4	80.0 - 120	Acceptable	
CBDA	1	0.0318	0.0325	%	98.0	90.0 - 110	Acceptable	
CBGA	1	0.0319	0.0326	%	97.9	80.0 - 120	Acceptable	
CBG	1	0.0322	0.0332	%	97.0	80.0 - 120	Acceptable	
CBD	1	0.0328	0.0337	%	97.1	90.0 - 110	Acceptable	
THCV	2	0.0243	0.0236	%	103	80.0 - 120	Acceptable	
d8THCV	2	0.0283	0.0279	%	102	80.0 - 120	Acceptable	
THCVA	2	0.0315	0.0308	%	102	80.0 - 120	Acceptable	
CBN	1	0.0325	0.0340	%	95.6	80.0 - 120	Acceptable	
exo-THC	2	0.0286	0.0283	%	101	80.0 - 120	Acceptable	
d9THC	1	0.0317	0.0329	%	96.4	90.0 - 110	Acceptable	
d8THC	1	0.0311	0.0320	%	97.3	90.0 - 110	Acceptable	
9S-d10THC	1	0.0333	0.0343	%	97.2	80.0 - 120	Acceptable	
CBL	2	0.0325	0.0311	%	104	80.0 - 120	Acceptable	
9R-d10THC	1	0.0301	0.0313	%	96.2	80.0 - 120	Acceptable	
CBC	2	0.0294	0.0293	%	100	80.0 - 120	Acceptable	
THCA	1	0.0314	0.0322	%	97.4	90.0 - 110	Acceptable	
CBCA	2	0.0327	0.0320	%	103	80.0 - 120	Acceptable	
CBLA	2	0.0310	0.0302	%	103	80.0 - 120	Acceptable	
d9THCP	2	0.0330	0.0326	%	101	80.0 - 120	Acceptable	
CBT	2	0.0321	0.0326	%	98.3	80.0 - 120	Acceptable	

СВТ	2	0.0321	0.0320	70	98.3	80.0	- 120	Acceptable	
Method Blank									
Analyte		sult		LOQ Units			Limits	Evaluation	Notes
CBDVA		.0Q	0.00322		%		0.00322	Acceptable	
CBDV	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
CBE		.0Q	0.00322		%		0.00322	Acceptable	
CBDA		.0Q	0.00322		%		0.00322	Acceptable	
CBGA		.0Q	0.00322		%		0.00322	Acceptable	
CBG	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
CBD	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
THCV		.0Q	0.00322		%		0.00322	Acceptable	
d8THCV		.0Q	0.00322		%		0.00322	Acceptable	
THCVA	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
CBN	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
exo-THC	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
d9THC		.0Q	0.00322		%		0.00322	Acceptable	
d8THC	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
9S-d10THC	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	
CBL		.0Q	0.00322		%		0.00322	Acceptable	
9R-d10THC		.0Q	0.00322		%		0.00322	Acceptable	
CBC	<l< td=""><td>.0Q</td><td>0.00322</td><td colspan="2">322 %</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322	322 %		< (0.00322	Acceptable	
THCA	<l< td=""><td>.0Q</td><td>0.00322</td><td colspan="2">. %</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322	. %		< (0.00322	Acceptable	
CBCA		.0Q	0.00322	%			0.00322	Acceptable	
CBLA		.0Q	0.00322	%			0.00322	Acceptable	
d9THCP		.0Q	0.00322		%		0.00322	Acceptable	
CBT	<l< td=""><td>.0Q</td><td>0.00322</td><td></td><td>%</td><td>< (</td><td>0.00322</td><td>Acceptable</td><td></td></l<>	.0Q	0.00322		%	< (0.00322	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-008002/D009.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					Ba	tch ID: 2308934			
Sample Duplicate			Sample ID: 23-007976-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBG	0.0201	0.0196	0.00308	%	2.41	< 20	Acceptable		
CBD	0.691	0.681	0.00308	%	1.46	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBN	0.126	0.125	0.00308	%	1.39	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBC	0.00582	0.00580	0.00308	%	0.290	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-008002/D009.R000

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

Received: 07/07/23 12:29







23-008002/D009.R000 **Report Number:**

Report Date: 07/14/2023 ORELAP#: OR100028

Purchase Order:

07/07/23 12:29 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.