



Report Number:	23-008002/D006.R000
Report Date:	07/14/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/07/23 12:29

Customer:	Brothers Apothecary
Product identity:	CBG Tea 1.1
Project Number:	COL-BR-13
Client/Metrc ID:	
Laboratory ID:	23-008002-0009

# Summary

•					
Analyte	Result	Limits	Units	Status	CBD-Total per Serving Size 22.7 mg/4.45g
CBD	0.484		%		
CBD-A	0.0307		%		
CBG	0.727		%		THC-Total per Serving Size 1.07 mg/4.45g
CBG-A	0.0831		%		(Reported in milligrams per serving)
∆9-THC	0.0241		%		(reported in minigrams per serving)
Analyte per 4.45g	Result	Limits	Units	Status	
CBD per 4.45g	21.5		mg/4.45g		
CBD-A per 4.45g	1.37		mg/4.45g		
CBG per 4.45g	32.4		mg/4.45g		
CBG-A per 4.45g	3.70		mg/4.45g		
∆9-THC per 4.45g	1.07		mg/4.45g		

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-008002/D006.R000
Report Date:	07/14/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/07/23 12:29

Customer:	Brothers Apothecary 3423 SE18th Ave Portland OR, 97202 United States of America (USA)
Product identity:	CBG Tea 1.1
Project Number:	COL-BR-13
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-008002-0009
Evidence of Cooling:	No
Temp:	22.8
Relinquished by:	client
Serving Size #1:	4.45 g

# **Sample Results**

Potency	Method: J AOAC 2015 V	/98-6 (mod)⊧	Units %	Batch: 2308934	Analyze: 7/10/23 10:04:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.484		%	0.00321	
CBD-A	0.0307		%	0.00321	
CBD-Total	0.511		%	0.00602	
CBG	0.727		%	0.00321	
CBG-A	0.0831		%	0.00321	
CBG-Total	0.800		%	0.00599	
CBN	< LOQ		%	0.00321	
$\Delta 10$ -THC-9R	< LOQ		%	0.00321	
$\Delta 10$ -THC-9S	< LOQ		%	0.00321	
$\Delta 10$ -THC-Total	< LOQ		%	0.00641	
$\Delta 8$ -THC	< LOQ		%	0.00321	
∆9-THC	0.0241		%	0.00321	
THC-A	< LOQ		%	0.00321	
THC-Total	0.0241		%	0.00602	
Total Cannabinoids	1.35		%		

Potency per 4.45g	Method: J AOAC 2015	/98-6 (mod) <sup>þ</sup>	Units mg/se Bate	<b>ch:</b> 2308934	Analyze: 7/10/23 10:04:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 4.45g	21.5		mg/4.45g	0.143	
CBD-A per 4.45g	1.37		mg/4.45g	0.143	
CBD-Total per 4.45g	22.7		mg/4.45g	0.268	
CBG per 4.45g	32.4		mg/4.45g	0.143	
CBG-A per 4.45g	3.70		mg/4.45g	0.143	
CBG-Total per 4.45g	35.6		mg/4.45g	0.266	
CBN per 4.45g	< LOQ		mg/4.45g	0.143	
∆10-THC-9R per 4.45g	< LOQ		mg/4.45g	0.143	
$\Delta 10$ -THC-9S per 4.45g	< LOQ		mg/4.45g	0.143	
$\Delta 10$ -THC-Total per 4.45g	< LOQ		mg/4.45g	0.285	
$\Delta 8$ -THC per 4.45g	< LOQ		mg/4.45g	0.143	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-008002/D006.R000
Report Date:	07/14/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/07/23 12:29

Potency per 4.45g	Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>		Units mg/se Bate	<b>ch:</b> 2308934	Analyze: 7/10/23 10:04:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
∆9-THC per 4.45g	1.07		mg/4.45g	0.143	
THC-A per 4.45g	< LOQ		mg/4.45g	0.143	
THC-Total per 4.45g	1.07		mg/4.45g	0.268	

Page 3 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





**Report Number:** 23-008002/D006.R000 Report Date: 07/14/2023 **ORELAP#:** OR100028 Purchase Order: **Received:** 07/07/23 12:29

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

### Units of Measure

g = gmg/4.45g = Milligram per 4.45g % = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number:	23-008002/D006.R000
Report Date:	07/14/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lat	orator	v Ouality Co	ntrol Re	sults		
Laboratory Quality Control Results J AOAC 2015 V98-6 Batch ID: 2308934									
Laboratory Contro	Sample								
Analyte	LCS	Result	Spike	Units	% Rec		Limits	Evaluation	Notes
CBDVA	2	0.0319	0.0316	%	101	80.0	- 120	Acceptable	
CBDV	2	0.0323	0.0315	%	102	80.0	- 120	Acceptable	
CBE	2	0.0332	0.0348	%	95.4	80.0	- 120	Acceptable	
CBDA	1	0.0318	0.0325	%	98.0	90.0	- 110	Acceptable	
CBGA	1	0.0319	0.0326	%	97.9	80.0	- 120	Acceptable	
CBG	1	0.0322	0.0332	%	97.0	80.0	- 120	Acceptable	
CBD	1	0.0328	0.0337	%	97.1	90.0	- 110	Acceptable	
THCV	2	0.0243	0.0236	%	103	80.0	- 120	Acceptable	
d8THCV	2	0.0283	0.0279	%	102	80.0	- 120	Acceptable	
THCVA	2	0.0315	0.0308	%	102	80.0	- 120	Acceptable	
CBN	1	0.0325	0.0340	%	95.6	80.0	- 120	Acceptable	
exo-THC	2	0.0286	0.0283	%	101	80.0	- 120	Acceptable	
d9THC	1	0.0317	0.0329	%	96.4	90.0	- 110	Acceptable	
d8THC	1	0.0311	0.0320	%	97.3	90.0	- 110	Acceptable	
9S-d10THC	1	0.0333	0.0343	%	97.2	80.0	- 120	Acceptable	
CBL	2	0.0325	0.0311	%	104	80.0	- 120	Acceptable	
9R-d10THC	1	0.0301	0.0313	%	96.2	80.0	- 120	Acceptable	
CBC	2	0.0294	0.0293	%	100	80.0	- 120	Acceptable	
THCA	1	0.0314	0.0322	%	97.4	90.0	- 110	Acceptable	
CBCA	2	0.0327	0.0320	%	103	80.0	- 120	Acceptable	
CBLA	2	0.0310	0.0302	%	103	80.0	- 120	Acceptable	
d9THCP	2	0.0330	0.0326	%	101	80.0	- 120	Acceptable	
CBT	2	0.0321	0.0326	%	98.3	80.0	- 120	Acceptable	
Method Blank									
Analyte		esult	LOQ		Units		Limits	Evaluation	Notes
CBDVA		LOQ	0.00322		%		0.00322	Acceptable	
CBDV		LOQ	0.00322		%		0.00322	Acceptable	
CBE		LOQ	0.00322		%		0.00322	Acceptable	
CBDA		LOQ	0.00322		%		0.00322	Acceptable	
CBGA		LOQ	0.00322		%		0.00322	Acceptable	
CBG		LOQ	0.00322		%		0.00322	Acceptable	
CBD		LOQ	0.00322		%		0.00322	Acceptable	
THCV		LOQ	0.00322		%		0.00322	Acceptable	
d8THCV		LOQ	0.00322		%		0.00322	Acceptable	
THCVA		LOQ	0.00322		%		0.00322	Acceptable	
CBN		LOQ	0.00322		%		0.00322	Acceptable	
exo-THC		LOQ	0.00322		%		0.00322	Acceptable	
d9THC		LOQ	0.00322				0.00322	Acceptable	
d8THC		LOQ	0.00322				0.00322	Acceptable	
9S-d10THC		LOQ	0.00322				0.00322	Acceptable	
CBL		LOQ	0.00322		%		0.00322	Acceptable	
9R-d10THC		LOQ		.00322 %			0.00322	Acceptable	
CBC		LOQ	0.00322		%		0.00322	Acceptable	
THCA		LOQ	0.00322	ļ	%		0.00322	Acceptable	
CBCA		LOQ	0.00322	ļ	%		0.00322	Acceptable	
CBLA d9THCP		LOQ	0.00322	L	%		0.00322	Acceptable	
		LOQ	0.00322		%		0.00322	Acceptable	
CBT	<	LOQ	0.00322	.00322 %		<	0.00322	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-008002/D006.R000
Report Date:	07/14/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	07/07/23 12:29

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lai	oratory	Quality Con	trol Results			
J AOAC 2015 V98-6	Batch ID: 2308934								
Sample Duplicate					ple ID: 23-007976	D: 23-007976-0001			
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBG	0.0201	0.0196	0.00308	%	2.41	< 20	Acceptable		
CBD	0.691	0.681	0.00308	%	1.46	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBN	0.126	0.125	0.00308	%	1.39	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBC	0.00582	0.00580	0.00308	%	0.290	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00308</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00308	%	NA	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-008002/D006.R000	
Report Date:	07/14/2023	
ORELAP#:	OR100028	
Purchase Order:		
Received:	07/07/23 12:29	



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





23-008002/D006.R000 **Report Number: Report Date:** 07/14/2023 **ORELAP#:** OR100028 **Purchase Order:** 07/07/23 12:29 **Received:** 

### Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430