



Report Number:	24-001460/D003.R000
Report Date:	02/14/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	02/08/24 15:04

Customer:	Brothers Apothecary
Product identity:	CBD Capsule 1.2
Client/Metrc ID:	
Laboratory ID:	24-001460-0004

	S	Su	m	m	a	ry																						
 -	-	-	-	_	-	_	_	-	_	-	-	_	-	-	-	-	-	_	-	-	_	-	_	_	-	-	-	

_ _ -

Analyte per 0.41g	Result Li	imits Units	Status	CBD-Total per Serving Size 5.67 mg/0.41g
CBD per 0.41g	3.68	mg/0.41g		
CBD-A per 0.41g	2.27	mg/0.41g		
CBG per 0.41g	0.151	mg/0.41g		THC-Total per Serving Size 0.265 mg/0.41g
CBG-A per 0.41g	0.0927	mg/0.41g		(Reported in milligrams per serving)
∆9-THC per 0.41g	0.228	mg/0.41g		(Reported in minigran's per serving)
THC-A per 0.41g	0.0418	mg/0.41g		

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-001460/D003.R000
Report Date:	02/14/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	02/08/24 15:04

Customer:	Brothers Apothecary 3423 SE18th Ave Portland OR, 97202 United States of America (USA)
Product identity:	CBD Capsule 1.2
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	24-001460-0004
Evidence of Cooling:	No
Temp:	17.5
Relinquished by:	ramos
Serving Size #1:	0.41 g

Sample Results

Potency per 0.41g	Method: J AOAC 2015	√98-6 (mod)⊧	Units mg/se Bate	ch: 2401118	Analyze: 2/12/24 6:25:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 0.41g	3.68		mg/0.41g	0.0131	
CBD-A per 0.41g	2.27		mg/0.41g	0.0131	
CBD-Total per 0.41g	5.67		mg/0.41g	0.0247	
CBG per 0.41g	0.151		mg/0.41g	0.0131	
CBG-A per 0.41g	0.0927		mg/0.41g	0.0131	
CBG-Total per 0.41g	0.232		mg/0.41g	0.0245	
CBN per 0.41g	< LOQ		mg/0.41g	0.0131	
10-THC-9R per 0.41g	< LOQ		mg/0.41g	0.0131	
10-THC-9S per 0.41g	< LOQ		mg/0.41g	0.0131	
10-THC-Total per 0.41g	< LOQ		mg/0.41g	0.0263	
A8-THC per 0.41g	< LOQ		mg/0.41g	0.0131	
v9-THC per 0.41g	0.228		mg/0.41g	0.0131	
HC-A per 0.41g	0.0418		mg/0.41g	0.0131	
THC-Total per 0.41g	0.265		mg/0.41g	0.0247	
Total Cannabinoids per 0.4	1g 6.46		mg/0.41g		

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 24-001460/D003.R000

 Report Date:
 02/14/2024

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 02/08/24 15:04

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/0.41g = Milligram per 0.41g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	24-001460/D003.R000
Report Date:	02/14/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	02/08/24 15:04

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lai	orator	y Quality Co	ntrol Res	sults			
J AOAC 2015 V98-	6				B	atch ID: (0			
Laboratory Contro	ol Sample									
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0312	0.0322	%	96.8	80.0	-	120	Acceptable	
CBDV	2	0.0281	0.0297	%	94.7	80.0	-	120	Acceptable	
CBE	2	0.0340	0.0356	%	95.7	80.0	-	120	Acceptable	
CBDA	1	0.0305	0.0306	%	99.7	90.0	-	110	Acceptable	
CBGA	1	0.0298	0.0303	%	98.2	80.0	-	120	Acceptable	
CBG	1	0.0319	0.0327	%	97.8	80.0	-	120	Acceptable	
CBD	1	0.0339	0.0335	%	101	90.0	-	110	Acceptable	
THCV	2	0.0318	0.0333	%	95.5	80.0	-	120	Acceptable	
d8THCV	2	0.0271	0.0283	%	96.0	80.0	-	120	Acceptable	
THCVA	2	0.0304	0.0315	%	96.5	80.0	-	120	Acceptable	
CBN	1	0.0288	0.0301	%	95.4	80.0	-	120	Acceptable	
exo-THC	2	0.0316	0.0335	%	94.5	80.0	-	120	Acceptable	
d9THC	1	0.0301	0.0317	%	95.1	90.0		110	Acceptable	
d8THC	1	0.0283	0.0304	%	92.9	90.0	-	110	Acceptable	
9S-d10THC	1	0.0299	0.0324	%	92.2	80.0	-	120	Acceptable	
CBL	2	0.0307	0.0328	%	93.5	80.0		120	Acceptable	
9R-d10THC	1	0.0289	0.0317	%	91.0	80.0		120	Acceptable	
CBC	2	0.0284	0.0305	%	93.2	80.0		120	Acceptable	
THCA	1	0.0293	0.0296	%	98.9	90.0		110	Acceptable	
CBCA	2	0.0305	0.0327	%	93.2	80.0	-	120	Acceptable	
CBLA	2	0.0318	0.0336	%	94.6	80.0	-	120	Acceptable	
d9THCP	2	0.0293	0.0328	%	89.3	80.0		120	Acceptable	
CBT	2	0.0292	0.0327	%	89.3	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ	-	Units		Limits		Evaluation	Notes
CBDVA CBDV		LOQ	0.00322		%		0.00322		Acceptable	
CBDV		LOQ	0.00322		%		0.00322		Acceptable	
									Acceptable	
CBDA		LOQ	0.00322		%		0.00322		Acceptable	
CBGA CBG		LOQ LOQ	0.00322		%		0.00322		Acceptable Acceptable	
CBD		100	0.00322		%		0.00322		Acceptable	
THEV		LOQ LOQ	0.00322		%		0.00322		Acceptable	
d8THCV		LOQ LOQ	0.00322		%		0.00322		Acceptable	
THCVA		LOQ LOQ	0.00322	 	%		0.00322		Acceptable	
CBN		100	0.00322	+	%		0.00322		Acceptable	
exo-THC		LOQ LOQ	0.00322	 	%		0.00322		Acceptable	
d9THC		100	0.00322	<u> </u>	%		0.00322		Acceptable	
d8THC		100	0.00322	<u> </u>	%		0.00322		Acceptable	
9S-d10THC			0.00322		%		0.00322		Acceptable	
CBL			0.00322	%			0.00322		Acceptable	
9R-d10THC			0.00322	<u> </u>	%		0.00322		Acceptable	1
CBC			0.00322	+	%		0.00322		Acceptable	
THCA			0.00322	+	%		0.00322		Acceptable	
CBCA			0.00322	<u> </u>	%		0.00322		Acceptable	1
CBLA		LOQ	0.00322	+	%		0.00322		Acceptable	
d9THCP		LOQ	0.00322	+	%		0.00322		Acceptable	
CBT			0.00322	+	%		0.00322		Acceptable	
				1						

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-001460/D003.R000
Report Date:	02/14/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	02/08/24 15:04

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lab	oratory	Quality Cor	trol Results		
J AOAC 2015 V98-6					Ba	tch ID: 0		
Sample Duplicate	Sample ID: 24-001417-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBDV	0.00452	0.00451	0.00305	%	0.0845	< 20	Acceptable	
CBE	0.00565	0.00563	0.00305	%	0.466	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBG	0.0126	0.0125	0.00305	%	0.470	< 20	Acceptable	
CBD	0.529	0.530	0.00305	%	0.153	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
d9THC	0.0426	0.0427	0.00305	%	0.102	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBC	0.0105	0.0105	0.00305	%	0.465	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00305</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00305	%	NA	< 20	Acceptable	
CBT	0.0177	0.0179	0.00305	%	0.939	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-001460/D003.R000
Report Date:	02/14/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	02/08/24 15:04



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





24-001460/D003.R000 **Report Number: Report Date:** 02/14/2024 **ORELAP#:** OR100028 **Purchase Order: Received:** 02/08/24 15:04

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430