



Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: CBD Protein

Metrc ID:

Metrc Source ID:

Material: Cannabinoid Edible

Sample Date:

Laboratory ID: 25-003912-0004

Evidence of Cooling: No
Temp: 24.8 °C
Serving Size #1: 1 g

Sample Results

Potency	Method: J	AOAC 20	15 V98-6 (mod) ^þ	Batch: 2502704 Analyze: 2025-04-14 20:04:00
Analyte	Result	Units	LOQ Notes	Serving Size #1 Result Units LOQ
CBD [⊥]	0.0643	%	0.0031	0.643 mg/1g 0.0308
CBD-A [⊥]	0.0178	%	0.0031	0.178 mg/1g 0.0308
CBD-Total [⊥]	0.0799	%	0.0058	0.799 mg/1g 0.0578
CBG	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
CBG-A	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
CBG-Total	< LOQ	%	0.0057	< LOQ mg/1g 0.0574
CBN	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ10-THC-9R	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ10-THC-9S	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ10-THC-Total	< LOQ	%	0.0062	< LOQ mg/1g 0.0615
Δ8-THC [±]	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ9-THC [⊥]	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ9-THC-A [⊥]	< LOQ	%	0.0031	< LOQ mg/1g 0.0308
Δ9-THC-Total [⊥]	< LOQ	%	0.0058	< LOQ mg/1g 0.0578
Total Cannabinoids	0.0821	<u></u> %		0.821 mg/1g





Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▶ = ISO/IEC 17025:2017 accredited method.

 $^{\perp}$ = TNI accredited analyte.

Units of Measure

% = Percentage of sample mg/1g = Milligram per 1g % wt = μg/g divided by 10,000





Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

I AOAC 2015 V98-6	j	Laboratory Quality Control Results Batch ID: 2502704									
Laboratory Control Sample											
Analyte	LCS	Result	Spike	Units	% Rec		Limits	s	Evaluation	Notes	
CBDVA	2	0.0296	0.0313	%	94.6	80.0	-	120	Acceptable		
CBDV	2	0.0308	0.0332	%	93.0	80.0	-	120	Acceptable		
CBE	2	0.0298	0.0319	%	93.4	80.0	-	120	Acceptable		
CBDA	1	0.0327	0.0345	%	94.8	90.0	-	110	Acceptable		
CBGA	1	0.0324	0.0338	%	95.9	80.0	-	120	Acceptable		
CBG	1	0.0309	0.0330	%	93.6	80.0	-	120	Acceptable		
CBD	1	0.0320	0.0323	%	98.9	90.0	-	110	Acceptable		
THCV	2	0.0302	0.0329	%	91.7	80.0	-	120	Acceptable		
18THCV	2	0.0316	0.0339	%	93.0	80.0	-	120	Acceptable		
THCVA	2	0.0284	0.0306	%	92.7	80.0	-	120	Acceptable		
CBN	1	0.0313	0.0327	%	95.8	80.0	-	120	Acceptable		
xo-THC	2	0.0285	0.0314	%	90.8	80.0	-	120	Acceptable		
19THC	1	0.0318	0.0327	%	97.3	90.0	-	110	Acceptable		
18THC	1	0.0323	0.0340	%	95.0	90.0	-	110	Acceptable		
S-d10THC	1	0.0330	0.0349	%	94.7	80.0	-	120	Acceptable		
CBL	2	0.0290	0.0315	%	92.0	80.0	-	120	Acceptable		
R-d10THC	1	0.0327	0.0350	%	93.5	80.0	-	120	Acceptable		
CBC	2	0.0300	0.0330	%	91.1	80.0	-	120	Acceptable		
HCA	1	0.0375	0.0367	%	102	90.0	-	110	Acceptable		
CBCA	2	0.0304	0.0320	%	95.0	80.0	-	120	Acceptable		
BLA	2	0.0304	0.0319	%	95.2	80.0	-	120	Acceptable		
19ТНСР	2	0.0284	0.0316	%	89.7	80.0	-	120	Acceptable		
CBT	2	0.0278	0.0330	%	84.4	80.0	-	120	Acceptable		
Method Blank										•	
Analyte	F	Result	LOQ	Units			Limits		Evaluation	Notes	
CBDVA	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td><</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	%		<	0.003	20	Acceptable		
CBDV	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		< 0.00320		Acceptable			
CBE	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%	< 0.00320		Acceptable			
CBDA	•	<loq< td=""><td>0.00320</td><td></td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%		< 0.00320		Acceptable		
CBGA	1	<loq< td=""><td>0.00320</td><td>1</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%		< 0.00320		Acceptable		
CBG	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%	< 0.00320		Acceptable			
CBD	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td><</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		<	< 0.00320		Acceptable		
HCV	1	<loq< td=""><td>0.00320</td><td colspan="2">0.00320</td><td><</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	0.00320		<	0.003	20	Acceptable		
18THCV	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		< 0.00320		Acceptable			
HCVA	•	<loq< td=""><td>0.00320</td><td></td><td colspan="2">%</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%		0.003	20	Acceptable		
CBN	•	<loq< td=""><td>0.00320</td><td></td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%		< 0.00320		Acceptable		
xo-THC	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%	< 0.00320		Acceptable			
19ТНС	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		< 0.00320		Acceptable			
8THC	1	<loq< td=""><td colspan="2">0.00320</td><td>%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%	< 0.00320		Acceptable			
S-d10THC	•	<loq< td=""><td>0.00320</td><td colspan="2">) %</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320) %		< 0.00320		Acceptable			
BL	•	<loq< td=""><td>0.00320</td><td></td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%		< 0.00320		Acceptable		
R-d10THC	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		< 0.00320		Acceptable			
CBC		<loq< td=""><td>0.00320</td><td>1</td><td colspan="2">%</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%		< 0.00320		Acceptable		
HCA		<loq< td=""><td>0.00320</td><td>1</td><td colspan="2">%</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%		0.003	20	Acceptable		
CBCA		<loq< td=""><td>0.00320</td><td>1</td><td colspan="2">%</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%		0.003	20	Acceptable		
BLA		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td><</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	0.003	20	Acceptable		
19ТНСР		<loq< td=""><td>0.00320</td><td colspan="2">%</td><td><</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	%		<	0.003	20	Acceptable		
DT	100			,,,						!	

CBT **Abbreviations**

ND - None Detected at or above MRL RPD - Relative Percent Difference

<LOQ

0.00320

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

< 0.00320

Acceptable





Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2502704										
Sample Duplicate		Sample ID: 25-003872-0001										
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes				
CBDVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBDV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBE	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBDA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBGA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBG	0.0108	0.0107	0.00312	%	0.705	< 20	Acceptable					
CBD	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
d8THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
THCVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBN	0.520	0.522	0.00312	%	0.208	< 20	Acceptable					
exo-THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
d9THC	0.487	0.486	0.00312	%	0.0741	< 20	Acceptable					
d8THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBL	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBC	0.00577	0.00573	0.00312	%	0.821	< 20	Acceptable					
THCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBLA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
d9THCP	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					
CBT	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable					

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42







Report Number: 25-003912/D004.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Explanation of QC Flag Comments:

Code	Explanation						
Q	Matrix interferences affecting spike or surrogate recoveries.						
Q1	Quality control result biased high. Only non-detect samples reported.						
Q2	Quality control outside QC limits. Data considered estimate.						
Q3	Sample concentration greater than four times the amount spiked.						
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.						
Q5	Spike results above calibration curve.						
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.						
R	Relative percent difference (RPD) outside control limit.						
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.						
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.						
LOQ1	Quantitation level raised due to low sample volume and/or dilution.						
LOQ2	Quantitaion level raised due to matrix interference.						
В	Analyte detected in method blank, but not in associated samples.						
B1	The sample concentration is greater than 5 times the blank concentration.						
B2	The sample concentration is less than 5 times the blank concentration.						