



Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Customer: Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: Foragers Java 1.1

Metrc ID:

Metrc Source ID:

Material: Cannabinoid Edible

Sample Date:

Laboratory ID: 25-003912-0007

Evidence of Cooling: No
Temp: 24.8 °C
Serving Size #1: 1 g

Sample Results

Potency	Method: J	AOAC 20	15 V98-6 (mod) ^þ	ı	Batch: 2502704 Analyze: 2025-04-14 20:28:00
Amelija	Decult	Unite	LOO Notes		Serving Size #1
Analyte	Result	Units	LOQ Notes	Result	Units LOQ
CBD [⊥]	0.0738	%	0.0031	0.738	mg/1g 0.0308
CBD-A [⊥]	0.0187	%	0.0031	0.187	mg/1g 0.0308
CBD-Total [⊥]	0.0902	%	0.0058	0.902	mg/1g 0.0578
CBG	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
CBG-A	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
CBG-Total	< LOQ	%	0.0057	< LOQ	mg/1g 0.0575
CBN	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ10-THC-9R	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ10-THC-9S	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ10-THC-Total	< LOQ	%	0.0062	< LOQ	mg/1g 0.0616
Δ8-THC [⊥]	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ9-THC [⊥]	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ9-THC-A [⊥]	< LOQ	%	0.0031	< LOQ	mg/1g 0.0308
Δ9-THC-Total [⊥]	< LOQ	%	0.0058	< LOQ	mg/1g 0.0578
Total Cannabinoids	0.0925	<u> </u>		0.925	mg/1g





Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▶ = ISO/IEC 17025:2017 accredited method.

 $^{\perp}$ = TNI accredited analyte.

Units of Measure

% = Percentage of sample mg/1g = Milligram per 1g % wt = μg/g divided by 10,000





Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 ORELAP#: OR100028

Purchase Order:

Received: 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

Laboratory Quality Control Results AOAC 2015 V98-6 Batch ID: 2502704										
Laboratory Contro										
Analyte	LCS	Result	Spike	Units	% Rec		Limits	6	Evaluation	Notes
CBDVA	2	0.0296	0.0313	%	94.6	80.0	-	120	Acceptable	I
CBDV	2	0.0308	0.0332	%	93.0	80.0	-	120	Acceptable	
CBE	2	0.0298	0.0319	%	93.4	80.0	-	120	Acceptable	
CBDA	1	0.0327	0.0345	%	94.8	90.0	-	110	Acceptable	
CBGA	1	0.0324	0.0338	%	95.9	80.0	-	120	Acceptable	
CBG	1	0.0309	0.0330	%	93.6	80.0	-	120	Acceptable	
CBD	1	0.0320	0.0323	%	98.9	90.0	-	110	Acceptable	
THCV	2	0.0302	0.0329	%	91.7	80.0	-	120	Acceptable	
d8THCV	2	0.0316	0.0339	%	93.0	80.0	-	120	Acceptable	
THCVA	2	0.0284	0.0306	%	92.7	80.0	-	120	Acceptable	
CBN	1	0.0313	0.0327	%	95.8	80.0	-	120	Acceptable	
exo-THC	2	0.0285	0.0314	%	90.8	80.0	-	120	Acceptable	
d9THC	1	0.0318	0.0327	%	97.3	90.0	-	110	Acceptable	
d8THC	1	0.0323	0.0340	%	95.0	90.0	-	110	Acceptable	
9S-d10THC	1	0.0330	0.0349	%	94.7	80.0	-	120	Acceptable	
CBL	2	0.0290	0.0315	%	92.0	80.0	-	120	Acceptable	
9R-d10THC	1	0.0327	0.0350	%	93.5	80.0	-	120	Acceptable	
CBC	2	0.0300	0.0330	%	91.1	80.0	-	120	Acceptable	
THCA	1	0.0375	0.0367	%	102	90.0	-	110	Acceptable	
CBCA	2	0.0304	0.0320	%	95.0	80.0	-	120	Acceptable	
CBLA	2	0.0304	0.0319	%	95.2	80.0	-	120	Acceptable	
d9THCP	2	0.0284	0.0316	%	89.7	80.0	-	120	Acceptable	
CBT	2	0.0278	0.0330	%	84.4	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.00320	%		< 0.00320		Acceptable		
CBDV		LOQ	0.00320	%			< 0.00320		Acceptable	
CBE		LOQ	0.00320	%		< 0.00320		Acceptable		
CBDA		LOQ	0.00320	%		< 0.00320		Acceptable		
CBGA		LOQ	0.00320				0.003		Acceptable	
CBG		LOQ	0.00320	%			0.003		Acceptable	
CBD		LOQ	0.00320	%			< 0.00320 < 0.00320		Acceptable	
THCV		LOQ	0.00320		%				Acceptable	
d8THCV		LOQ	0.00320		%		0.003	-	Acceptable	
THCVA		LOQ	0.00320		%		0.003		Acceptable	
CBN		LOQ	0.00320	%			< 0.00320		Acceptable	
exo-THC		LOQ	0.00320	!	%		< 0.00320		Acceptable	
d9THC		LOQ	0.00320		%	< 0.00320 < 0.00320		Acceptable		
d8THC		LOQ	0.00320		%				Acceptable	
9S-d10THC CBL		LOQ	0.00320	%			0.003		Acceptable	
9R-d10THC		LOQ	0.00320	% %			< 0.00320 < 0.00320		Acceptable	
			0.00320	% %			< 0.00320		Acceptable	
CBC THCA		LOQ	0.00320	!					Acceptable	
CBCA		LOQ	0.00320 0.00320	%			0.003		Acceptable	
CBLA		LOQ	0.00320	% %			0.003 0.003		Acceptable Acceptable	
d9THCP			0.00320	!					Acceptable	
CBT	<l0q< td=""><td>0.00320</td><td colspan="2">%</td><td></td><td colspan="2">< 0.00320</td><td>Acceptable</td><td></td></l0q<>		0.00320	%			< 0.00320		Acceptable	
Abbroviations	<l0q< td=""><td>0.00320</td><td colspan="2">%</td><td><</td><td colspan="2">< 0.00320</td><td>Acceptable</td><td>I</td></l0q<>		0.00320	%		<	< 0.00320		Acceptable	I

CBT **Abbreviations**

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2502704								
Sample Duplicate	Sample ID: 25-003872-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBG	0.0108	0.0107	0.00312	%	0.705	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBN	0.520	0.522	0.00312	%	0.208	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
d9THC	0.487	0.486	0.00312	%	0.0741	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBC	0.00577	0.00573	0.00312	%	0.821	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42





Report Number: 25-003912/D007.R000

Report Date: 04/24/2025 **ORELAP#:** OR100028

Purchase Order:

Received: 04/11/25 12:42

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.