



**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42

**Customer:** Brothers Apothecary

3423 SE18th Ave Portland OR, 97202

United States of America (USA)

Product identity: Moon Milk 1.1

Metrc ID:

**Metrc Source ID:** 

Material: Cannabinoid Edible

Sample Date:

**Laboratory ID:** 25-003912-0009

Evidence of Cooling: No
Temp: 24.8 °C
Serving Size #1: 1 g

# **Sample Results**

Potency	Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>				atch: 25027	704 <b>Analyze:</b> 2025-04-14 20:43:00
					erving Size #	
Analyte	Result	Units	LOQ Notes	Result	Units	LOQ
CBD <sup>⊥</sup>	0.620	%	0.0032	6.20	mg/1g	0.0323
CBD-A <sup>⊥</sup>	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
CBD-Total <sup>⊥</sup>	0.620	%	0.0061	6.20	mg/1g	0.0607
CBG	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
CBG-A	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
CBG-Total	< LOQ	%	0.0060	< LOQ	mg/1g	0.0603
CBN	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
Δ10-THC-9R	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
Δ10-THC-9S	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
Δ10-THC-Total	< LOQ	%	0.0065	< LOQ	mg/1g	0.0646
Δ8-THC <sup>⊥</sup>	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
Δ9-THC <sup>±</sup>	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
$\Delta 9$ -THC-A $^{\perp}$	< LOQ	%	0.0032	< LOQ	mg/1g	0.0323
Δ9-THC-Total <sup>⊥</sup>	< LOQ	%	0.0061	< LOQ	mg/1g	0.0607
Total Cannabinoids	0.620	<u></u> %		6.20	mg/1g	





**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42

#### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▶ = ISO/IEC 17025:2017 accredited method.

 $^{\perp}$  = TNI accredited analyte.

#### Units of Measure

% = Percentage of sample mg/1g = Milligram per 1g % wt = μg/g divided by 10,000





**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### Laboratory Quality Control Results

Laboratory Quality Control Results  J AOAC 2015 V98-6  Batch ID: 2502704  Laboratory Control Sample										
								Analyte	LCS	Result
CBDVA	2	0.0296	0.0313	%	94.6	80.0	-	120	Acceptable	
CBDV	2	0.0308	0.0332	%	93.0	80.0	-	120	Acceptable	
CBE	2	0.0298	0.0319	%	93.4	80.0	-	120	Acceptable	
CBDA	1	0.0327	0.0345	%	94.8	90.0	-	110	Acceptable	
CBGA	1	0.0324	0.0338	%	95.9	80.0	-	120	Acceptable	
CBG	1	0.0309	0.0330	%	93.6	80.0	-	120	Acceptable	
CBD	1	0.0320	0.0323	%	98.9	90.0	-	110	Acceptable	
THCV	2	0.0302	0.0329	%	91.7	80.0	-	120	Acceptable	
18THCV	2	0.0316	0.0339	%	93.0	80.0	-	120	Acceptable	
THCVA	2	0.0284	0.0306	%	92.7	80.0	-	120	Acceptable	
CBN	1	0.0313	0.0327	%	95.8	80.0	-	120	Acceptable	
xo-THC	2	0.0285	0.0314	%	90.8	80.0	-	120	Acceptable	
19THC	1	0.0318	0.0327	%	97.3	90.0	-	110	Acceptable	
18THC	1	0.0323	0.0340	%	95.0	90.0	-	110	Acceptable	
S-d10THC	1	0.0330	0.0349	%	94.7	80.0	-	120	Acceptable	
CBL	2	0.0290	0.0315	%	92.0	80.0	-	120	Acceptable	
R-d10THC	1	0.0327	0.0350	%	93.5	80.0	-	120	Acceptable	
CBC	2	0.0300	0.0330	%	91.1	80.0	-	120	Acceptable	
HCA	1	0.0375	0.0367	%	102	90.0	-	110	Acceptable	
CBCA	2	0.0304	0.0320	%	95.0	80.0	-	120	Acceptable	
BLA	2	0.0304	0.0319	%	95.2	80.0	-	120	Acceptable	
19ТНСР	2	0.0284	0.0316	%	89.7	80.0	-	120	Acceptable	
CBT	2	0.0278	0.0330	%	84.4	80.0	-	120	Acceptable	
Method Blank										•
Analyte	F	Result	LOQ	Units			Limits		Evaluation	Notes
CBDVA	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
CBDV	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
CBE	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
CBDA	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	< 0.00320		Acceptable	
CBGA	1	<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	< 0.00320		Acceptable		
CBG	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		<	< 0.00320		Acceptable	
CBD	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
HCV	1	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
18THCV	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
HCVA	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
CBN	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
xo-THC	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
19ТНС	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>		0.00320	%		< 0.00320		Acceptable		
8THC	1	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		< 0.00320		Acceptable		
S-d10THC	•	<loq< td=""><td>0.00320</td><td></td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320		%	<	0.003	20	Acceptable	
BL	•	<loq< td=""><td>0.00320</td><td colspan="2">%</td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	%		<	< 0.00320		Acceptable	
R-d10THC	•	<loq< td=""><td>0.00320</td><td colspan="2"></td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320			<	< 0.00320		Acceptable	
CBC		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	< 0.00320		Acceptable	
HCA		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td>&lt;</td><td colspan="2">&lt; 0.00320</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	< 0.00320		Acceptable	
CBCA		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	0.003	20	Acceptable	
BLA		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	0.003	20	Acceptable	
19ТНСР		<loq< td=""><td>0.00320</td><td>1</td><td>%</td><td>&lt;</td><td>0.003</td><td>20</td><td>Acceptable</td><td></td></loq<>	0.00320	1	%	<	0.003	20	Acceptable	
DT	1200			+			. 5.55525			<b>!</b>

CBT **Abbreviations** 

ND - None Detected at or above MRL RPD - Relative Percent Difference

<LOQ

0.00320

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

< 0.00320

Acceptable





**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	2015 V98-6 Batch ID: 2502704								
Sample Duplicate		Sample ID: <b>25-003872-0001</b>							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBG	0.0108	0.0107	0.00312	%	0.705	< 20	Acceptable		
CBD	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBN	0.520	0.522	0.00312	%	0.208	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
d9THC	0.487	0.486	0.00312	%	0.0741	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBC	0.00577	0.00573	0.00312	%	0.821	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00312</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00312	%	NA	< 20	Acceptable		

### Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent





**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42







**Report Number:** 25-003912/D009.R000

**Report Date:** 04/24/2025 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 04/11/25 12:42

## Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.